







# 1<sup>st</sup> Israel Open Solving Championship

20 July 2014

CATEGORY 2 - ROUND 1 - SOLUTIONS

 1	<b>Marjan Kovačević, Original</b>
	1. $\mathbb{W}a5!$ (5 points) [2. $\mathbb{W}f5\#$ ] 1... $\mathbb{Q}xd6$ 2. $\mathbb{W}xd8\#$ 1... $\mathbb{Q}xe6$ 2. $\mathbb{Q}c7\#$ 1... $\mathbb{W}xa5$ 2. $d7\#$ 1... $\mathbb{Q}xe7$ 2. $\mathbb{Q}g7\#$ 1... $\mathbb{Q}xe7 + 2. \mathbb{W}xf6\#$ 1... $\mathbb{Q}h7$ 2. $\mathbb{Q}xh7\#$
# 2 (9+9)	
 2	<b>Eduard Cavrel, La Strategy 1923</b>
	1. $\mathbb{Q}e8!$ (5 points) zz 1... $\mathbb{Q}e4$ 2. $\mathbb{Q}xe4\#$ 1... $\mathbb{Q}~$ 2. $\mathbb{Q}xc4\#$ 1... $b3$ 2. $\mathbb{Q}xa3\#$ 1... $bxcc3$ 2. $\mathbb{Q}xa3\#$ 1... $d3$ 2. $\mathbb{Q}e3\#$ 1... $dxcc3$ 2. $\mathbb{Q}e3\#$ 1... $d5$ 2. $\mathbb{Q}d7\#$ 1... $\mathbb{Q}c6$ 2. $\mathbb{Q}xc6\#$ 1... $b7$ 2. $\mathbb{Q}xb7\#$
#2 (7+7)	
 3	<b>Giorgio Guidelli, 1<sup>st</sup> HM The Hampshire Telegraph &amp; Post 1916-19</b>
	1. $\mathbb{Q}g7!$ (5 points) zz 1... $\mathbb{Q}d6$ 2. $\mathbb{Q}xb6\#$ 1... $\mathbb{Q}xd4 + 2. \mathbb{Q}xd4\#$ 1... $\mathbb{Q}c3$ 2. $\mathbb{Q}xc3\#$ 1... $\mathbb{Q}b2$ 2. $\mathbb{Q}xb2\#$ 1... $c3$ 2. $\mathbb{Q}d3\#$ 1... $e5$ 2. $\mathbb{Q}d5\#$ 1... $f6$ 2. $\mathbb{Q}d7\#$ 1... $a7$ 2. $\mathbb{Q}xb6\#$ 1... $\mathbb{Q}e7$ 2. $\mathbb{Q}xb6\#$
#2 (7+11)	
 4	<b>Wolfgang Pauly, La Strategy 1911</b>
	1. $c4!$ (1 point) zz. 1... $a1=\mathbb{Q}, \mathbb{Q}$ 2. $\mathbb{Q}g5$ (1 point) [3. $\mathbb{Q}f1\#$ ] 1... $a1=\mathbb{Q}$ 2. $\mathbb{Q}d5$ (1 point) [3. $\mathbb{Q}d1\#$ ] 1... $a1=\mathbb{Q}$ 2. $\mathbb{Q}h6$ (1 point) [3. $\mathbb{Q}f1\#$ ] 1... $\mathbb{Q}a1$ 2. $\mathbb{Q}e5$ (1 point) [3. $\mathbb{Q}f1\#$ ]
#3 (6+5)	
 5	<b>Genrikh Kasparyan, Sovyetskaya Rossija 1960</b>
	1. $\mathbb{Q}a7+$ (2 points) $\mathbb{Q}b5$ (1... $\mathbb{Q}b4$ 2. $c7$ ) 2. $c7$ $\mathbb{Q}b7$ 3. $\mathbb{Q}xc8$ $\mathbb{Q}c6$ 4. $\mathbb{Q}d6$ (2 points) $\mathbb{Q}xc7$ 5. $\mathbb{Q}a6\#$ (1 point)
win (4+4)	
 6	<b>Eltje Visserman, 1st Pr. J. Silberger MT Probleemblad 1964</b>
	1. $\mathbb{Q}b2$ $\mathbb{Q}d1$ 2. $\mathbb{Q}e2$ $\mathbb{Q}f2\#$ (2.5 points) 1. $\mathbb{Q}f1$ $\mathbb{Q}c3$ 2. $\mathbb{Q}e2$ $\mathbb{Q}d3\#$ (2.5 points)
H#2 2 sol. (5+11)	